



Test Report

No.: SHTY150600008480

Date: Jun 25, 2015

Page 1 of 8

ZHE JIANG MUYI IMP & EXP CO., LTD (LINDATOY)
2ND FLOOR,JIANG NAN BUILDING,HUANGYAN,ZHEJIANG,CHINA

The following samples were submitted and identified by/on behalf of the client as:
WOODEN OWL MARACAS

Sample Quantity : 6 PCS
Style / Item No. : 23008
Manufacturer : TAIZHOU ZHANHUA ARTS&CRAFTS CO.,LTD
Labeled Age Grading : NOT STATED
Requested Age Grading : 0+
Age Group Assessed As Per Age Guideline : ALL AGES
Age Group Applied in Testing : ALL AGES
Sample Receiving Date : JUN 09, 2015
Testing Period : JUN 09, 2015 TO JUN 25, 2015

Test Requested

Result

EN 71-1: 2014 – Safety of toys – Part 1: Mechanical and Physical Properties Pass
Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC- Safety of toys See Result
EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability Pass
EN71-3:2013 + A1:2014 under European Directive 2009/48/EC – Migration of certain elements Pass

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wallace Lui
Senior Technical Manager, Asia

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61152312 f (86-21)61402590 www.cn.sgs.com
中国·上海·徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61152312 f (86-21)61402590 e sgs.china@sgs.com

Results:

EN 71-1:2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1: 2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
4.20	Acoustics	<u>Pass</u>
5	Toys intended for children under 36 months	
5.1	General requirements:	
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	<u>Pass</u>
5.1b	Torque test (Test method 8.3)	<u>Pass</u>
	Tension test (Test method 8.4)	<u>Pass</u>
	Drop test (Test method 8.5)	<u>Pass</u>
	Impact test (Test method 8.7)	<u>Pass</u>
	Sharp edge (Test method 8.11)	<u>Pass</u>
	Sharp point (Test method 8.12)	<u>Pass</u>
5.1e	Glued wooden toys and toys with glued on plastic decals	<u>Pass</u>
5.1f	The casing of toys intended for children too young to sit up unaided	<u>Pass</u>
5.8	Shape and size of certain toys	<u>Pass</u>

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Absent	/
CE mark	Absent	/
Importer's Name & Address	Absent	/
Manufacturer's Name & Address	Absent	/
Product ID	Absent	/

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

- should, if applicable, provide instructions on how the toy has to be cleaned.
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	<u>Pass</u>

EN71-3:2013+A1:2014 under European Directive 2009/48/EC-Migration of certain elements

Test Method : With reference to EN71-3:2013+A1:2014, analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	<u>002</u>	<u>003</u>
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	ND	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	10	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)	70000	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>004</u>	<u>005</u>	<u>006</u>
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	ND	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	ND	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	10	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No.: SHTY150600008480

Date: Jun 25, 2015

Page 4 of 8

Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	96
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)	70000	mg/kg	50	ND	ND	ND
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND

Test Item(s)	Limit	Unit	MDL	007	008	009
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	ND	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	63	81	54
Soluble Cadmium (Cd)	17	mg/kg	10	ND	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	ND
Soluble Boron (B)	15000	mg/kg	50	ND	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	ND
Soluble Aluminum (Al)	70000	mg/kg	50	ND	142	ND
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	ND
Soluble Organic Tin*	12	mg/kg	-	ND	ND	ND

Test Item(s)	Limit	Unit	MDL	010	011	012
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	ND	ND	-
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	---
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	---
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	---
Soluble Barium (Ba)	18750	mg/kg	50	ND	63	---
Soluble Cadmium (Cd)	17	mg/kg	10	ND	ND	---
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	-
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	---
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	---
Soluble Boron (B)	15000	mg/kg	50	ND	ND	---
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	---
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	---
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	---
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	---
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No.: SHTY150600008480

Date: Jun 25, 2015

Page 5 of 8

Soluble Aluminum (Al)	70000	mg/kg	50	53	ND	---
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	---
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	---
Soluble Organic Tin*	12	mg/kg	-	ND	ND	---

Test Item(s)	Limit	Unit	MDL	013	014	015
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	-	-	-
Soluble Lead (Pb)	160	mg/kg	10	---	---	---
Soluble Antimony (Sb)	560	mg/kg	10	---	---	---
Soluble Arsenic (As)	47	mg/kg	10	---	---	---
Soluble Barium (Ba)	18750	mg/kg	50	---	---	---
Soluble Cadmium (Cd)	17	mg/kg	10	---	---	---
Soluble Chromium (III) (Cr III)	460	mg/kg	5	-	-	-
Soluble Mercury (Hg)	94	mg/kg	10	---	---	---
Soluble Selenium (Se)	460	mg/kg	10	---	---	---
Soluble Boron (B)	15000	mg/kg	50	---	---	---
Soluble Cobalt (Co)	130	mg/kg	10	---	---	---
Soluble Manganese (Mn)	15000	mg/kg	50	---	---	---
Soluble Strontium (Sr)	56000	mg/kg	50	---	---	---
Soluble Zinc (Zn)	46000	mg/kg	50	---	---	---
Soluble Copper (Cu)	7700	mg/kg	50	---	---	---
Soluble Aluminum (Al)	70000	mg/kg	50	---	---	---
Soluble Nickel (Ni)	930	mg/kg	10	---	---	---
Soluble Tin (Sn)	180000	mg/kg	4.9	---	---	---
Soluble Organic Tin*	12	mg/kg	-	---	---	---

Test Item(s)	Limit	Unit	MDL	016	017	018
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	ND	ND	-
Soluble Lead (Pb)	160	mg/kg	10	ND	ND	---
Soluble Antimony (Sb)	560	mg/kg	10	ND	ND	---
Soluble Arsenic (As)	47	mg/kg	10	ND	ND	---
Soluble Barium (Ba)	18750	mg/kg	50	85	ND	---
Soluble Cadmium (Cd)	17	mg/kg	10	ND	ND	---
Soluble Chromium (III) (Cr III)	460	mg/kg	5	ND	ND	-
Soluble Mercury (Hg)	94	mg/kg	10	ND	ND	---
Soluble Selenium (Se)	460	mg/kg	10	ND	ND	---
Soluble Boron (B)	15000	mg/kg	50	ND	ND	---
Soluble Cobalt (Co)	130	mg/kg	10	ND	ND	---
Soluble Manganese (Mn)	15000	mg/kg	50	ND	ND	---
Soluble Strontium (Sr)	56000	mg/kg	50	ND	ND	---
Soluble Zinc (Zn)	46000	mg/kg	50	ND	ND	---
Soluble Copper (Cu)	7700	mg/kg	50	ND	ND	---
Soluble Aluminum (Al)	70000	mg/kg	50	145	ND	---
Soluble Nickel (Ni)	930	mg/kg	10	ND	ND	---
Soluble Tin (Sn)	180000	mg/kg	4.9	ND	ND	---
Soluble Organic Tin*	12	mg/kg	-	ND	ND	---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>019</u>	<u>020</u>	<u>021</u>
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	-	ND	ND
Soluble Lead (Pb)	160	mg/kg	10	---	ND	ND
Soluble Antimony (Sb)	560	mg/kg	10	---	ND	ND
Soluble Arsenic (As)	47	mg/kg	10	---	ND	ND
Soluble Barium (Ba)	18750	mg/kg	50	---	ND	ND
Soluble Cadmium (Cd)	17	mg/kg	10	---	ND	ND
Soluble Chromium (III) (Cr III)	460	mg/kg	5	-	ND	ND
Soluble Mercury (Hg)	94	mg/kg	10	---	ND	ND
Soluble Selenium (Se)	460	mg/kg	10	---	ND	ND
Soluble Boron (B)	15000	mg/kg	50	---	ND	ND
Soluble Cobalt (Co)	130	mg/kg	10	---	ND	ND
Soluble Manganese (Mn)	15000	mg/kg	50	---	ND	ND
Soluble Strontium (Sr)	56000	mg/kg	50	---	ND	ND
Soluble Zinc (Zn)	46000	mg/kg	50	---	ND	ND
Soluble Copper (Cu)	7700	mg/kg	50	---	ND	ND
Soluble Aluminum (Al)	70000	mg/kg	50	---	ND	ND
Soluble Nickel (Ni)	930	mg/kg	10	---	ND	ND
Soluble Tin (Sn)	180000	mg/kg	4.9	---	ND	ND
Soluble Organic Tin*	12	mg/kg	-	---	ND	ND

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>022</u>
Soluble Chromium (VI) (Cr VI)	0.2	mg/kg	0.18	-
Soluble Lead (Pb)	160	mg/kg	10	---
Soluble Antimony (Sb)	560	mg/kg	10	---
Soluble Arsenic (As)	47	mg/kg	10	---
Soluble Barium (Ba)	18750	mg/kg	50	---
Soluble Cadmium (Cd)	17	mg/kg	10	---
Soluble Chromium (III) (Cr III)	460	mg/kg	5	-
Soluble Mercury (Hg)	94	mg/kg	10	---
Soluble Selenium (Se)	460	mg/kg	10	---
Soluble Boron (B)	15000	mg/kg	50	---
Soluble Cobalt (Co)	130	mg/kg	10	---
Soluble Manganese (Mn)	15000	mg/kg	50	---
Soluble Strontium (Sr)	56000	mg/kg	50	---
Soluble Zinc (Zn)	46000	mg/kg	50	---
Soluble Copper (Cu)	7700	mg/kg	50	---
Soluble Aluminum (Al)	70000	mg/kg	50	---
Soluble Nickel (Ni)	930	mg/kg	10	---
Soluble Tin (Sn)	180000	mg/kg	4.9	---
Soluble Organic Tin*	12	mg/kg	-	---

Notes :

- (1) Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN71-3:2013+A1:2014.
- (2) Mass of trace amount of sample 005 is 99.6mg, sample 006 is 74.5mg, sample 007 is 15.3mg, sample 008 is 17.5mg, sample 009 is 25.1mg, sample 010 is 76.9mg, sample 011 is 75.1mg, sample 017 is 33.2mg, sample 020 is 78.2mg, sample 021 is 74.3mg
- (3) As received, the test portion of 012,013,014,015,018,019,022 is less than 10mg, therefore such components were not tested for migration of certain elements, as specified in the

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

European Standard EN 71-3:2013+A1:2014

(4) *Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN71-3:2013+A1:2014

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	SHA15-109630.001	Natural-colored wood(Handle)
SN2	SHA15-109630.002	Green felt(Flower)
SN3	SHA15-109630.003	Blue felt(Flower)
SN4	SHA15-109630.004	Pink felt(Flower)
SN5	SHA15-109630.005	White plastic(Maraca)
SN6	SHA15-109630.006	Transparent coating(On wood)
SN7	SHA15-109630.007	Red coating(On wood)
SN8	SHA15-109630.008	Purple coating(On wood)
SN9	SHA15-109630.009	Green coating(On wood)
SN10	SHA15-109630.010	Light pink coating(On maraca)
SN11	SHA15-109630.011	Red coating(On maraca)
SN12	SHA15-109630.012	Green coating(Owl)
SN13	SHA15-109630.013	White coating(Eye)
SN14	SHA15-109630.014	Brown coating(Eye,nose)
SN15	SHA15-109630.015	Pink coating(Belly)
SN16	SHA15-109630.016	Dark purple coating(On maraca)
SN17	SHA15-109630.017	Light purple coating(On maraca)
SN18	SHA15-109630.018	Yellow coating(Eye)
SN19	SHA15-109630.019	Purple coating(Belly)
SN20	SHA15-109630.020	Green coating(On maraca)
SN21	SHA15-109630.021	Light green coating(On maraca)
SN22	SHA15-109630.022	Blue coating(Owl)

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

N.B. : - Only applicable clauses were shown.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.